



# Proposal - Detailed

Sales Rep Name: Walter, Devon  
 Sales Rep Phone: (905) 676-0555  
 Sales Rep E-Mail: walterds@pella.com  
 Sales Rep Fax:

Phone: Fax:

Customer Information	Project/Delivery Address	Order Information
[Redacted]	[Redacted]	<p>Quote Name: ORDER</p> <p>Order Number: 786781872F</p> <p><b>Quote Number: 10697420</b></p> <p>Order Type: Installed Sales</p> <p>Wall Depth:</p> <p>Payment Terms: Snap - Deposit</p> <p>Tax Code: HST</p> <p>Cust Delivery Date: 11/30/2018</p> <p>Quoted Date: 10/10/2018</p> <p>Contracted Date: 10/10/2018</p> <p>Booked Date: 10/16/2018</p> <p>Customer PO #:</p>

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)


Line #	Location	Attributes
--------	----------	------------

10 FOYER AND SPARE BEDR

**Impervia, Double Hung, 36.5 X 68, Black**

Qty

2



PK #  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 36 1/2 X 68  
**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"  
**Exterior Color / Finish:** Black  
**Interior Color / Finish:** Black  
**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, Matte Black  
**Screen:** Full Screen, Conventional Fiberglass  
**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 2W2H), Black, Black  
**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 209".

Viewed From Exterior  
 Rough Opening: 37" X 68.5"

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

QUOMATTORM010060 - PF Sash Stop -1	Qty	1
INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide	Qty	1
QUOMATTORM040050 - COIL-1	Qty	1
INSTARTORR900103 - Additional Labour	Qty	1

Line #	Location:	Attributes
--------	-----------	------------

15 Living

**Impervia, Double Hung, 19 X 68, Black**

Qty

1



PK#  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**

**Frame Size:** 19 X 68

**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"

**Exterior Color / Finish:** Black

**Interior Color / Finish:** Black

**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Cam-Action Lock, Matte Black

**Screen:** Full Screen, Conventional Fiberglass

**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Does not meet typical United States egress, but may comply with local code requirements

**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (1W2H / 1W2H), Black, Black

**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 174".

Viewed From Exterior

**Rough Opening:** 19 - 1/2" X 68 - 1/2"

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

QUOMATTORM010060 - PF Sash Stop -1

Qty 1

QUOMATTORM040050 - COIL-1

Qty 1

INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide

Qty 1

INSTARTORR900103 - Additional Labour

Qty 1

Customer:

Project Name:

Quote Number: 10697420


Line #	Location:	Attributes
--------	-----------	------------

20 Living

### Impervia, Double Hung, 34.5 X 68, Black

Qty

1



PK #  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**

**Frame Size:** 34 1/2 X 68

**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"

**Exterior Color / Finish:** Black

**Interior Color / Finish:** Black

**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Cam-Action Lock, Matte Black

**Screen:** No Screen

**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)

**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 2W2H), Black, Black

**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 205".

Viewed From Exterior

**Rough Opening:** 35" X 68.5"

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

QUOMATTORM010060 - PF Sash Stop -1

Qty 1

INSTARTORR900103 - Additional Labour

Qty 1

QUOMATTORM040050 - COIL-1

Qty 1

INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide

Qty 1

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Customer:

Project Name:

Quote Number: 10697420

Line #	Location:	Attributes
--------	-----------	------------

25 Living

### Impervia, Double Hung, 19 X 68, Black

Qty

1



Viewed From Exterior

Rough Opening: 19 - 1/2" X 68 - 1/2"

PK #  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**

**Frame Size:** 19 X 68

**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"

**Exterior Color / Finish:** Black

**Interior Color / Finish:** Black

**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Cam-Action Lock, Matte Black

**Screen:** Full Screen, Conventional Fiberglass

**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Does not meet typical United States egress, but may comply with local code requirements

**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (1W2H / 1W2H), Black, Black

**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 174".

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

QUOMATTORM010060 - PF Sash Stop -1

Qty 1

INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide

Qty 1

QUOMATTORM040050 - COIL-1

Qty 1

INSTARTORR900103 - Additional Labour

Qty 1

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Customer: [REDACTED]

Project Name: [REDACTED]

Quote Number: 10697420


Line #	Location	Attributes
--------	----------	------------

30 Dining

### Impervia, Double Hung, 36.5 X 68, Black

Qty

1



PK #  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**  
**Frame Size:** 36 1/2 X 68  
**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"  
**Exterior Color / Finish:** Black  
**Interior Color / Finish:** Black  
**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude  
**Hardware Options:** Cam-Action Lock, Matte Black  
**Screen:** Full Screen, Conventional Fiberglass  
**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Meets Typical 5.7 sqft (E) (United States Only)  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 2W2H), Black, Black  
**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 209".

Viewed From Exterior  
Rough Opening: 37" X 68.5"

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

INSTARTORR900103 - Additional Labour	Qty	1
QUOMATTORM010060 - PF Sash Stop -1	Qty	1
INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide	Qty	1
QUOMATTORM040050 - COIL-1	Qty	1

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Customer:

Project Name:

Quote Number: 10697420


Line #	Location	Attributes
--------	----------	------------

35 Kitchen

### Impervia, Casement Right, 35.5 X 51, Black

Qty

1



PK #  
2019

**1: Non-Standard Size Non-Standard Size Right Casement**

**Frame Size:** 35 1/2 X 51

**General Information:** Standard, Duracast®, Block, Foam Insulated, 3 1/4", 1 15/16"

**Exterior Color / Finish:** Black

**Interior Color / Finish:** Black

**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Standard, Wash Hinge Hardware, Fold-Away Crank, Matte Black, No Window Opening Control Device, No Limited Opening Hardware

**Screen:** Full Screen, Conventional Fiberglass

**Performance Information:** U-Factor 0.28, SHGC 0.44, VLT 0.50, CPD PEL-N-150-00666-00002, ER 30, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 11, Egress Meets Typical 5.7 sqft (E) (United States Only)

**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H), Black, Black

**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 173".

Viewed From Exterior  
Rough Opening: 36" X 51.5"

Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide	Qty	1
INSTARTORR900103 - Additional Labour	Qty	1
QUOMATTORM040050 - COIL-1	Qty	1
QUOMATTORM010060 - PF Sash Stop -1	Qty	1

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Customer:

Project Name:

Quote Number: 10697420

Line #	Location	Attributes	Qty
--------	----------	------------	-----

40 Office

### Impervia, Double Hung, 19 X 68, Black

Qty  
1



PK #  
2019

**1: Non-Standard Size Non-Standard Size Double Hung, Equal**

**Frame Size:** 19 X 68

**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"

**Exterior Color / Finish:** Black

**Interior Color / Finish:** Black

**Glass:** Insulated Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude

**Hardware Options:** Cam-Action Lock, Matte Black

**Screen:** Full Screen, Conventional Fiberglass

**Performance Information:** U-Factor 0.30, SHGC 0.46, VLT 0.52, CPD PEL-N-126-00850-00002, ER 28, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08, Egress Does not meet typical United States egress, but may comply with local code requirements

**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 2W2H), Black, Black

**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 174".

Viewed From Exterior

**Rough Opening:** 19 - 1/2" X 68 - 1/2"


Customer Notes: Butt Up to Existing Sssh Stops

Cap Sill VA added

INSTARTORR020053 - Non-Wood Window-Pocket - 1 Wide	Qty	1
INSTARTORR900103 - Additional Labour	Qty	1
QUOMATTORM040050 - COIL-1	Qty	1
QUOMATTORM010060 - PF Sash Stop -1	Qty	1

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Line #	Location	Attributes
--------	----------	------------

Line #	Location	Attributes	Qty
45	UPSTAIRS	<b>Architect Reserve, Single Hung, 32.5 X 66.5, Black</b>   <p>PK# 2019</p> <p><b>1: 32.566.5 Single Hung, Equal</b>  <b>Frame Size:</b> 32 1/2 X 66 1/2  <b>General Information:</b> Standard, Luxury, Clad, Pine, 5", 3 11/16"  <b>Exterior Color / Finish:</b> Painted, Standard Enduraclad, Black  <b>Interior Color / Finish:</b> Black Stain Interior  <b>Sash / Panel:</b> Putty Glaze, Ogee, Custom, Springline Glass, 2.97, 1.923, No Sash Lugs  <b>Glass:</b> Insulated Dual Low-E NaturalSun Low-E Insulating Glass Argon Non High Altitude  <b>Hardware Options:</b> Cam-Action Lock, Matte Black, No Window Opening Control Device, No Limited Opening Hardware, Order Sash Lift, No Integrated Sensor  <b>Screen:</b> Half Screen, Standard EnduraClad, Black, Standard, InView™  <b>Performance Information:</b> U-Factor 0.30, SHGC 0.47, VLT 0.53, CPD PEL-N-232-00230-00001, ER 30, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08 11, Egress Meets Typical 5.7 sqft (E) (United States Only)  <b>Grille:</b> GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 2W2H), Black, Black  <b>Wrapping Information:</b> No Exterior Trim, 3 11/16", 5", Factory Applied, Pella Recommended Clearance, Perimeter Length = 198".</p>	4

Customer Notes: Install from inside out, may need to trim back stool VAs added

Add Sash Stops BW

Cap Sill VA added

Cap Sill Approved by Cam

INSTARTORR900014 - Curved Shape - Labour	Qty 1
QUOMATTORM010060 - PF Sash Stop -1	Qty 1
INSTARTORR010010 - Wood Window-Pocket-1 Wide	Qty 1
QUOMATTORM040050 - COIL-1	Qty 1
INSTARTORR900103 - Additional Labour	Qty 3


Customer: [REDACTED]

Project Name: [REDACTED]

Quote Number: 10697420

Line #	Location:	Attributes	Qty
--------	-----------	------------	-----

50	Family	<b>Impervia, Direct Set Fixed Frame Rectangle, 24 X 91, Black</b>	<u>2</u>
----	--------	---	----------



PK #  
2019

**1: 2491 Fixed Frame Direct Set**  
**Frame Size:** 24 X 91  
**General Information:** Standard, Duracast®, Block, Foam Insulated, 3", 1 11/16"  
**Exterior Color / Finish:** Black  
**Interior Color / Finish:** Black  
**Glass:** Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude  
**Performance Information:** U-Factor 0.26, SHGC 0.29, VLT 0.54, CPD PEL-N-127-02328-00002, ER 24, Performance Class CW, PG 50, Calculated  
 Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08  
**Grille:** GBG, No Custom Grille, 3/4" Contour, Traditional (2W4H), Black, Black  
**Wrapping Information:** No Exterior Trim, Pella Recommended Clearance, Perimeter Length = 230".

Viewed From Exterior  
Rough Opening: 24 - 1/2" X 91 - 1/2"

Customer Notes: Full Frame - Split Frame

Supply Jambs BW


INSTARTORR020050 - Non-Wood Window-Full Frame - 1 Wide	Qty	1
QUOMATTORM040050 - COIL-1	Qty	1
QUOMATTORM010050 - PF Jamb Extension - 1	Qty	1
INSTARTORR900070 - Jamb Extension Application	Qty	1

Line #	Location:	Attributes	Qty
--------	-----------	------------	-----


75		<b>#950 BLACK CAULK</b>	<u>28</u>
----	--	-------------------------	-----------

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)

Customer:



Project Name:



Quote Number: 10697420

<b>Order Totals</b>	
Taxable Subtotal	\$27,298.42
Sales Tax @ 13%	\$3,548.79
Non-taxable Subtotal	\$0.00
<b>Total</b>	<b>\$30,847.21</b>
<b>Deposit Received</b>	<b>\$9,000.00</b>
<b>Amount Due</b>	<b>\$21,847.21</b>

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at [www.pella.com](http://www.pella.com)